

## Appendix 3 Client Demographic Information for Individual Ryan White Title II Consortia

<b>Table A3.1 Client Demographic Information: AIDS Coalition of Merrimack Valley</b>		
<i>Clients between 1/1/01 and 12/30/01</i>		
<b>By Gender</b>	<b>N</b>	<b>%</b>
Male	167	49%
Female	172	51%
<b>By Age</b>	<b>N</b>	<b>%</b>
0 to 9 years	12	4%
10 to 19 years	9	3%
20 to 29 years	28	8%
30 to 39 years	113	33%
40 to 49 years	121	36%
50+	56	16%
<b>By Race/Ethnicity</b>	<b>N</b>	<b>%</b>
African-American	16	5%
Asian-American	2	0.6%
Haitian	1	0.3%
Hispanic/Latino	257	76%
White (not Latino)	57	17%
Other	3	0.9%
Undetermined/Unknown	3	0.9%
<b>By Primary Language</b>	<b>N</b>	<b>%</b>
English	81	24%
French	2	0.6%
Haitian Creole	1	0.3%
Spanish	254	75%
Other	1	0.3%
<b>By Exposure Mode</b>	<b>N</b>	<b>%</b>
Male to Male Sex (MSM)	15	4%
Injection Drug Use (IDU) <sup>1</sup>	56	17%
MSM/IDU	2	0.6%
Heterosexual Sex	209	62%
Perinatal	13	4%
Blood/Blood Products <sup>2</sup>	2	0.6%
Other <sup>3</sup>	10	3%
Undetermined/ Unknown	32	9%
<b>TOTAL</b>	<b>339</b>	
1 Injection Drug Use includes bisexual IDU, heterosexual IDU, WSW/IDU		
2 Blood/Blood products include hemophiliac and transfusion		
3 Other includes WSW, bisexual, occupational, not DX HIV+/AIDS		
Data Source: MDPH HIV/AIDS Bureau (percentages may not add up to 100% due to rounding)		

<b>Table A3.2 Client Demographic Information: Berkshire AIDS Consortium</b>		
<i>Clients between 1/1/01 and 12/30/01</i>		
<b>By Gender</b>	<b>N</b>	<b>%</b>
Male	35	66%
Female	18	34%
<b>By Age</b>	<b>N</b>	<b>%</b>
0 to 9 years	0	0%
10 to 19 years	0	0%
20 to 29 years	6	11%
30 to 39 years	16	30%
40 to 49 years	22	42%
50+	9	17%
<b>By Race/Ethnicity</b>	<b>N</b>	<b>%</b>
African-American	13	25%
Asian-American	1	2%
Haitian	0	0%
Hispanic/Latino	3	6%
White (not Latino)	33	62%
Other	3	6%
Undetermined/Unknown	0	0%
<b>By Primary Language</b>	<b>N</b>	<b>%</b>
English	47	89%
French	0	0%
Haitian Creole	0	0%
Spanish	2	4%
Other	4	8%
<b>By Exposure Mode</b>	<b>N</b>	<b>%</b>
Male to Male Sex (MSM)	23	43%
Injection Drug Use (IDU) <sup>1</sup>	13	25%
MSM/IDU	0	0%
Heterosexual Sex	16	30%
Perinatal	0	0%
Blood/Blood Products <sup>2</sup>	0	0%
Other <sup>3</sup>	0	0%
Undetermined/ Unknown	1	2%
<b>TOTAL</b>	<b>53</b>	
<sup>1</sup> Injection Drug Use includes bisexual IDU, heterosexual IDU, WSW/IDU <sup>2</sup> Blood/Blood products include hemophiliac and transfusion <sup>3</sup> Other includes WSW, bisexual, occupational, not DX HIV+/AIDS Data Source: MDPH HIV/AIDS Bureau (percentages may not add up to 100% due to rounding)		

<b>Table A3.3 Client Demographic Information: Brockton Area Consortium</b>		
<i>Clients between 1/1/01 and 12/30/01</i>		
<b>By Gender</b>	<b>N</b>	<b>%</b>
Male	87	58%
Female	63	42%
<b>By Age</b>	<b>N</b>	<b>%</b>
0 to 9 years	4	3%
10 to 19 years	7	5%
20 to 29 years	10	7%
30 to 39 years	50	33%
40 to 49 years	54	36%
50+	25	17%
<b>By Race/Ethnicity</b>	<b>N</b>	<b>%</b>
African-American	32	21%
Cape Verdean	4	3%
Haitian	10	7%
Hispanic/Latino	13	9%
Portuguese	1	0.7%
White (not Latino)	82	55%
Other	8	5%
Undetermined/Unknown	0	0%
<b>By Primary Language</b>	<b>N</b>	<b>%</b>
Crioulo (Cape Verdean)	3	2%
English	121	81%
French	1	0.7%
Haitian Creole	9	6%
Portuguese	4	3%
Spanish	12	8%
Other	0	0%
<b>By Exposure Mode</b>	<b>N</b>	<b>%</b>
Male to Male Sex (MSM)	16	11%
Injection Drug Use (IDU) <sup>1</sup>	46	31%
MSM/IDU	1	0.7%
Heterosexual Sex	51	34%
Perinatal	10	7%
Blood/Blood Products <sup>2</sup>	14	10%
Other <sup>3</sup>	8	5%
Undetermined/ Unknown	4	3%
<b>TOTAL</b>	<b>150</b>	
1 Injection Drug Use includes bisexual IDU, heterosexual IDU, WSW/IDU		
2 Blood/Blood products include hemophiliac and transfusion		
3 Other includes WSW, bisexual, occupational, not DX HIV+/AIDS		
Data Source: MDPH HIV/AIDS Bureau (percentages may not add up to 100% due to rounding)		

<b>Table A3.4 Client Demographic Information: Central Massachusetts Consortium</b>		
<i>Clients between 1/1/01 and 12/30/01</i>		
<b>By Gender</b>	<b>N</b>	<b>%</b>
Male	338	58%
Female	241	42%
<b>By Age</b>	<b>N</b>	<b>%</b>
0 to 9 years	1	0.2%
10 to 19 years	4	0.7%
20 to 29 years	29	5%
30 to 39 years	179	31%
40 to 49 years	285	49%
50+	81	14%
<b>By Race/Ethnicity</b>	<b>N</b>	<b>%</b>
African-American	69	12%
Brazilian	4	0.7%
Cape Verdean	2	0.3%
Haitian	2	0.3%
Hispanic/Latino	255	44%
Native American/Aleut/Eskimo	3	0.5%
White (not Latino)	237	41%
Other	6	1%
Undetermined/Unknown	1	0.2%
<b>By Primary Language</b>	<b>N</b>	<b>%</b>
Crioulo (Cape Verdean)		
English	345	60%
Portuguese	4	0.7%
Spanish	225	39%
Other	5	0.9%
<b>By Exposure Mode</b>	<b>N</b>	<b>%</b>
Male to Male Sex (MSM)	64	11%
Injection Drug Use (IDU) <sup>1</sup>	292	50%
MSM/IDU	8	1%
Heterosexual Sex	166	29%
Perinatal	2	0.3%
Blood/Blood Products <sup>2</sup>	8	1%
Other <sup>3</sup>	10	2%
Undetermined/ Unknown	29	5%
<b>TOTAL</b>	<b>579</b>	
<sup>1</sup> Injection Drug Use includes bisexual IDU, heterosexual IDU, WSW/IDU <sup>2</sup> Blood/Blood products include hemophiliac and transfusion <sup>3</sup> Other includes WSW, bisexual, occupational, not DX HIV+/AIDS Data Source: MDPH HIV/AIDS Bureau (percentages may not add up to 100% due to rounding)		

<b>Table A3.5 Client Demographic Information: Franklin County Consortium</b>		
<i>Clients between 1/1/01 and 12/30/01</i>		
<b>By Gender</b>	<b>N</b>	<b>%</b>
Male	29	56%
Female	23	44%
<b>By Age</b>	<b>N</b>	<b>%</b>
0 to 9 years	0	0%
10 to 19 years	0	0%
20 to 29 years	4	8%
30 to 39 years	11	21%
40 to 49 years	28	54%
50+	9	17%
<b>By Race/Ethnicity</b>	<b>N</b>	<b>%</b>
African-American	3	6%
Hispanic/Latino	8	15%
White (not Latino)	40	77%
Other	1	2%
Undetermined/Unknown	0	0%
<b>By Primary Language</b>	<b>N</b>	<b>%</b>
English	46	88%
Spanish	5	10%
Other	1	2%
<b>By Exposure Mode</b>	<b>N</b>	<b>%</b>
Male to Male Sex (MSM)	15	29%
Injection Drug Use (IDU) <sup>1</sup>	20	38%
MSM/IDU	0	0%
Heterosexual Sex	13	25%
Perinatal	0	0%
Blood/Blood Products <sup>2</sup>	0	0%
Other <sup>3</sup>	3	6%
Undetermined/ Unknown	1	2%
<b>TOTAL</b>	<b>52</b>	
<sup>1</sup> Injection Drug Use includes bisexual IDU, heterosexual IDU, WSW/IDU <sup>2</sup> Blood/Blood products include hemophiliac and transfusion <sup>3</sup> Other includes WSW, bisexual, occupational, not DX HIV+/AIDS Data Source: MDPH HIV/AIDS Bureau (percentages may not add up to 100% due to rounding)		

<b>Table A3.6 Client Demographic Information: Greater Fall River Consortium</b>		
<i>Clients between 1/1/01 and 12/30/01</i>		
<b>By Gender</b>	<b>N</b>	<b>%</b>
Male	69	60%
Female	46	40%
<b>By Age</b>	<b>N</b>	<b>%</b>
0 to 9 years	1	0.9%
10 to 19 years	0	0%
20 to 29 years	8	7%
30 to 39 years	41	36%
40 to 49 years	51	44%
50+	14	12%
<b>By Race/Ethnicity</b>	<b>N</b>	<b>%</b>
African-American	16	14%
Brazilian	3	3%
Cape Verdean	4	3%
Hispanic/Latino	14	12%
Portuguese	5	4%
White (not Latino)	73	63%
Other	0	0%
Undetermined/Unknown	0	0%
<b>By Primary Language</b>	<b>N</b>	<b>%</b>
English	98	85%
Portuguese	4	3%
Spanish	12	10%
Other	1	0.9%
<b>By Exposure Mode</b>	<b>N</b>	<b>%</b>
Male to Male Sex (MSM)	27	23%
Injection Drug Use (IDU) <sup>1</sup>	42	37%
MSM/IDU	2	2%
Heterosexual Sex	36	31%
Perinatal	1	0.9%
Blood/Blood Products <sup>2</sup>	2	2%
Other <sup>3</sup>	3	3%
Undetermined/ Unknown	2	2%
<b>TOTAL</b>	<b>115</b>	
<sup>1</sup> Injection Drug Use includes bisexual IDU, heterosexual IDU, WSW/IDU <sup>2</sup> Blood/Blood products include hemophiliac and transfusion <sup>3</sup> Other includes WSW, bisexual, occupational, not DX HIV+/AIDS Data Source: MDPH HIV/AIDS Bureau (percentages may not add up to 100% due to rounding)		

<b>Table A3.7 Client Demographic Information: Greater Lowell AIDS Coalition</b>		
<i>Clients between 1/1/01 and 12/30/01</i>		
<b>By Gender</b>	<b>N</b>	<b>%</b>
Male	202	59%
Female	143	41%
<b>By Age</b>	<b>N</b>	<b>%</b>
0 to 9 years	3	0.9%
10 to 19 years	3	0.9%
20 to 29 years	23	7%
30 to 39 years	121	35%
40 to 49 years	141	41%
50+	54	16%
<b>By Race/Ethnicity</b>	<b>N</b>	<b>%</b>
African-American	44	13%
Asian/Asian American	11	3%
Cape Verdean	2	0.6%
Hispanic/Latino	119	34%
Native American/Aleut/Eskimo	1	0.3%
Portuguese	1	0.3%
White (not Latino)	154	44%
Other	11	3%
Undetermined/Unknown	2	0.6%
<b>By Primary Language</b>	<b>N</b>	<b>%</b>
English	218	63%
Haitian Creole	1	0.3%
SE Asian Languages	5	1%
Spanish	110	32%
Other	11	3%
<b>By Exposure Mode</b>	<b>N</b>	<b>%</b>
Male to Male Sex (MSM)	35	10
Injection Drug Use (IDU) <sup>1</sup>	178	52
MSM/IDU	3	0.9
Heterosexual Sex	96	28
Perinatal	5	1
Blood/Blood Products <sup>2</sup>	3	0.9
Other <sup>3</sup>	6	2
Undetermined/ Unknown	19	6
<b>TOTAL</b>	<b>345</b>	
<sup>1</sup> Injection Drug Use includes bisexual IDU, heterosexual IDU, WSW/IDU <sup>2</sup> Blood/Blood products include hemophiliac and transfusion <sup>3</sup> Other includes WSW, bisexual, occupational, not DX HIV+/AIDS Data Source: MDPH HIV/AIDS Bureau (percentages may not add up to 100% due to rounding)		

<b>Table A3.8 Client Demographic Information: Greater Plymouth Consortium</b>		
<i>Clients between 1/1/01 and 12/30/01</i>		
<b>By Gender</b>	<b>N</b>	<b>%</b>
Male	45	67%
Female	22	33%
<b>By Age</b>	<b>N</b>	<b>%</b>
0 to 9 years	0	0%
10 to 19 years	0	0%
20 to 29 years	0	0%
30 to 39 years	22	33%
40 to 49 years	35	52%
50+	10	15%
<b>By Race/Ethnicity</b>	<b>N</b>	<b>%</b>
African-American	2	3%
Hispanic/Latino	0	0%
Cape Verdean	3	4%
Native American/Aleut/Eskimo	2	3%
Portuguese	2	3%
White (not Latino)	58	87%
Other	0	0%
Undetermined/Unknown	0	0%
<b>By Primary Language</b>	<b>N</b>	<b>%</b>
English	66	99%
Spanish	0	0%
Other	1	1%
<b>By Exposure Mode</b>	<b>N</b>	<b>%</b>
Male to Male Sex (MSM)	14	21%
Injection Drug Use (IDU) <sup>1</sup>	30	45%
MSM/IDU	0	0%
Heterosexual Sex	17	25%
Perinatal	0	0%
Blood/Blood Products <sup>2</sup>	1	1%
Other <sup>3</sup>	1	1%
Undetermined/ Unknown	4	6%
<b>TOTAL</b>	<b>67</b>	
<sup>1</sup> Injection Drug Use includes bisexual IDU, heterosexual IDU, WSW/IDU <sup>2</sup> Blood/Blood products include hemophiliac and transfusion <sup>3</sup> Other includes WSW, bisexual, occupational, not DX HIV+/AIDS Data Source: MDPH HIV/AIDS Bureau (percentages may not add up to 100% due to rounding)		



<b>Table A3.9 Client Demographic Information: Greater Taunton Consortium</b>		
<i>Clients between 1/1/01 and 12/30/01</i>		
By Gender	<b>N</b>	<b>%</b>
Male	88	68%
Female	41	32%
By Age	<b>N</b>	<b>%</b>
0 to 9 years	0	0%
10 to 19 years	3	2%
20 to 29 years	5	4%
30 to 39 years	46	36%
40 to 49 years	63	49%
50+	12	10%
By Race/Ethnicity	<b>N</b>	<b>%</b>
African-American	17	13%
Cape Verdean	8	6%
Hispanic/Latino	15	12%
Native American/Aleut/Eskimo	1	1%
White (not Latino)	87	67%
Other	1	1%
Undetermined/Unknown	0	0%
By Primary Language	<b>N</b>	<b>%</b>
English	123	95%
Spanish	6	5%
Other	0	0%
By Exposure Mode	<b>N</b>	<b>%</b>
Male to Male Sex (MSM)	21	16%
Injection Drug Use (IDU) <sup>1</sup>	49	38%
MSM/IDU	3	2%
Heterosexual Sex	45	35%
Perinatal	3	2%
Blood/Blood Products <sup>2</sup>	1	0.8%
Other <sup>3</sup>	1	0.8%
Undetermined/ Unknown	6	5%
<b>TOTAL</b>	<b>129</b>	
<sup>1</sup> Injection Drug Use includes bisexual IDU, heterosexual IDU, WSW/IDU <sup>2</sup> Blood/Blood products include hemophiliac and transfusion <sup>3</sup> Other includes WSW, bisexual, occupational, not DX HIV+/AIDS Data Source: MDPH HIV/AIDS Bureau (percentages may not add up to 100% due to rounding)		

<b>Table A3.10 Client Demographic Information: Hampshire County Consortium</b>		
<i>Clients between 1/1/01 and 12/30/01</i>		
<b>By Gender</b>	<b>N</b>	<b>%</b>
Male	53	74%
Female	19	26%
<b>By Age</b>	<b>N</b>	<b>%</b>
0 to 9 years	0	0%
10 to 19 years	0	0%
20 to 29 years	2	3%
30 to 39 years	26	36%
40 to 49 years	30	42%
50+	14	19%
<b>By Race/Ethnicity</b>	<b>N</b>	<b>%</b>
African-American	8	11%
Asian/Asian American	2	3%
Brazilian	2	3%
Cape Verdean	1	1%
Hispanic/Latino	11	15%
White (not Latino)	47	65%
Other	1	1%
Undetermined/Unknown	0	0%
<b>By Primary Language</b>	<b>N</b>	<b>%</b>
English	63	87%
Portuguese	1	1%
Spanish	7	10%
Other	1	1%
<b>By Exposure Mode</b>	<b>N</b>	<b>%</b>
Male to Male Sex (MSM)	37	51%
Injection Drug Use (IDU) <sup>1</sup>	15	21%
MSM/IDU	0	0%
Heterosexual Sex	15	21%
Perinatal	0	0%
Blood/Blood Products <sup>2</sup>	1	1%
Other <sup>3</sup>	1	1%
Undetermined/ Unknown	3	4%
<b>TOTAL</b>	<b>72</b>	
<sup>1</sup> Injection Drug Use includes bisexual IDU, heterosexual IDU, WSW/IDU <sup>2</sup> Blood/Blood products include hemophiliac and transfusion <sup>3</sup> Other includes WSW, bisexual, occupational, not DX HIV+/AIDS Data Source: MDPH HIV/AIDS Bureau (percentages may not add up to 100% due to rounding)		

<b>Table A3.11 Client Demographic Information: Holyoke/Chicopee/Westfield Consortium</b>		
<i>Clients between 1/1/01 and 12/30/01</i>		
<b>By Gender</b>	<b>N</b>	<b>%</b>
Male	184	51%
Female	174	49%
<b>By Age</b>	<b>N</b>	<b>%</b>
0 to 9 years	12	3%
10 to 19 years	24	7%
20 to 29 years	27	8%
30 to 39 years	133	37%
40 to 49 years	121	34%
50+	39	11%
<b>By Race/Ethnicity</b>	<b>N</b>	<b>%</b>
African-American	33	9%
Brazilian	1	0.2%
Haitian	1	0.2%
Hispanic/Latino	249	70%
Native American/Aleut/Eskimo	1	0.2%
White (not Latino)	68	19%
Other	2	0.6%
Undetermined/Unknown	1	0.2%
<b>By Primary Language</b>	<b>N</b>	<b>%</b>
English	114	32%
Haitian Creole	1	0.2%
Spanish	239	67%
Other	2	0.6%
<b>By Exposure Mode</b>	<b>N</b>	<b>%</b>
Male to Male Sex (MSM)	24	7%
Injection Drug Use (IDU) <sup>1</sup>	121	34%
MSM/IDU	9	3%
Heterosexual Sex	135	38%
Perinatal	14	4%
Blood/Blood Products <sup>2</sup>	1	0.2%
Other <sup>3</sup>	17	5%
Undetermined/ Unknown	35	10%
<b>TOTAL</b>	<b>356</b>	
<sup>1</sup> Injection Drug Use includes bisexual IDU, heterosexual IDU, WSW/IDU <sup>2</sup> Blood/Blood products include hemophiliac and transfusion <sup>3</sup> Other includes WSW, bisexual, occupational, not DX HIV+/AIDS Data Source: MDPH HIV/AIDS Bureau (percentages may not add up to 100% due to rounding)		

<b>Table A3.12 Client Demographic Information: MetroWest Consortium</b>		
<i>Clients between 1/1/01 and 12/30/01</i>		
<b>By Gender</b>	<b>N</b>	<b>%</b>
Male	66	53%
Female	59	47%
<b>By Age</b>	<b>N</b>	<b>%</b>
0 to 9 years	1	0.8%
10 to 19 years	0	0%
20 to 29 years	3	2%
30 to 39 years	39	31%
40 to 49 years	60	48%
50+	22	18%
<b>By Race/Ethnicity</b>	<b>N</b>	<b>%</b>
African-American	19	15%
Brazilian	4	3%
Hispanic/Latino	34	27%
Native American/Aleut/Eskimo	2	2%
Portuguese	1	0.8%
White (not Latino)	62	50%
Other	3	2%
Undetermined/Unknown	0	0%
<b>By Primary Language</b>	<b>N</b>	<b>%</b>
English	95	76%
French	1	0.8%
Portuguese	4	3%
Spanish	24	19%
Other	1	0.8%
<b>By Exposure Mode</b>	<b>N</b>	<b>%</b>
Male to Male Sex (MSM)	16	13%
Injection Drug Use (IDU) <sup>1</sup>	49	39%
MSM/IDU	0	0%
Heterosexual Sex	47	38%
Perinatal	0	0%
Blood/Blood Products <sup>2</sup>	2	2%
Other <sup>3</sup>	3	2%
Undetermined/ Unknown	5	4%
<b>TOTAL</b>	<b>125</b>	
1 Injection Drug Use includes bisexual IDU, heterosexual IDU, WSW/IDU		
2 Blood/Blood products include hemophiliac and transfusion		
3 Other includes WSW, bisexual, occupational, not DX HIV+/AIDS		
Data Source: MDPH HIV/AIDS Bureau (percentages may not add up to 100% due to rounding)		

<b>Table A3.13 Client Demographic Information: Nantucket AIDS Network</b>		
<i>Clients between 1/1/01 and 12/30/01</i>		
<b>By Gender</b>	<b>N</b>	<b>%</b>
Male	-- <sup>1</sup>	-- <sup>1</sup>
Female	-- <sup>1</sup>	-- <sup>1</sup>
<b>By Age</b>	<b>N</b>	<b>%</b>
0 to 9 years	0	0%
10 to 19 years	0	0%
20 to 29 years	-- <sup>1</sup>	-- <sup>1</sup>
30 to 39 years	-- <sup>1</sup>	-- <sup>1</sup>
40 to 49 years	9	53%
50+	-- <sup>1</sup>	-- <sup>1</sup>
<b>By Race/Ethnicity</b>	<b>N</b>	<b>%</b>
African-American	0	0%
Cape Verdean	-- <sup>1</sup>	-- <sup>1</sup>
Hispanic/Latino	0	0%
Native American/Aleut/Eskimo	-- <sup>1</sup>	-- <sup>1</sup>
Portuguese	-- <sup>1</sup>	-- <sup>1</sup>
White (not Latino)	9	53%
Other	-- <sup>1</sup>	-- <sup>1</sup>
Undetermined/Unknown	0	0%
<b>By Primary Language</b>	<b>N</b>	<b>%</b>
English	17	100%
Spanish	0	0%
Other	0	0%
<b>By Exposure Mode</b>	<b>N</b>	<b>%</b>
Male to Male Sex (MSM)	7	41%
Injection Drug Use (IDU) <sup>2</sup>	-- <sup>1</sup>	-- <sup>1</sup>
MSM/IDU	0	0%
Heterosexual Sex	7	41%
Perinatal	0	0%
Blood/Blood Products <sup>3</sup>	-- <sup>1</sup>	-- <sup>1</sup>
Other <sup>4</sup>	0	0%
Undetermined/ Unknown	0	0%
<b>TOTAL</b>	<b>17</b>	
<sup>1</sup> Numbers less than 5 for localities of less than 50,000 are suppressed for assurance of confidentiality <sup>2</sup> Injection Drug Use includes bisexual IDU, heterosexual IDU, WSW/IDU <sup>3</sup> Blood/Blood products include hemophiliac and transfusion <sup>4</sup> Other includes WSW, bisexual, occupational, not DX HIV+/AIDS Data Source: MDPH HIV/AIDS Bureau (percentages may not add up to 100% due to rounding)		

<b>Table A3.14 Client Demographic Information: New Bedford Consortium</b>		
<i>Clients between 1/1/01 and 12/30/01</i>		
<b>By Gender</b>	<b>N</b>	<b>%</b>
Male	202	49%
Female	210	51%
<b>By Age</b>	<b>N</b>	<b>%</b>
0 to 9 years	4	1%
10 to 19 years	4	1%
20 to 29 years	17	4%
30 to 39 years	124	30%
40 to 49 years	198	48%
50+	65	16%
<b>By Race/Ethnicity</b>	<b>N</b>	<b>%</b>
African-American	29	7%
Brazilian	1	0.2%
Cape Verdean	65	16%
Haitian	1	0.2%
Hispanic/Latino	75	18%
Native American/Aleut/Eskimo	3	0.7%
Portuguese	19	5%
White (not Latino)	216	52%
Other	3	0.7%
Undetermined/Unknown	0	0%
<b>By Primary Language</b>	<b>N</b>	<b>%</b>
English	347	84%
Portuguese	5	1%
Spanish	55	13%
Other	5	1%
<b>By Exposure Mode</b>	<b>N</b>	<b>%</b>
Male to Male Sex (MSM)	29	7%
Injection Drug Use (IDU) <sup>1</sup>	243	59%
MSM/IDU	6	1%
Heterosexual Sex	102	25%
Perinatal	7	2%
Blood/Blood Products <sup>2</sup>	4	1%
Other <sup>3</sup>	6	1%
Undetermined/ Unknown	15	4%
<b>TOTAL</b>	<b>412</b>	

1 Injection Drug Use includes bisexual IDU, heterosexual IDU, WSW/IDU  
 2 Blood/Blood products include hemophiliac and transfusion  
 3 Other includes WSW, bisexual, occupational, not DX HIV+/AIDS  
 Data Source: MDPH HIV/AIDS Bureau (percentages may not add up to 100% due to rounding)

**Table A3.15 Client Demographic Information: North Shore  
 AIDS Collaborative**

*Clients between 1/1/01 and 12/30/01*

By Gender	N	%
Male	120	56%
Female	93	44%
By Age	N	%
0 to 9 years	3	1%
10 to 19 years	2	1%
20 to 29 years	9	4%
30 to 39 years	66	31%
40 to 49 years	91	43%
50+	42	20%
By Race/Ethnicity	N	%
African-American	47	22%
Asian/Asian American	1	0.5%
Cape Verdean	1	0.5%
Haitian	3	1%
Hispanic/Latino	52	24%
Native American/Aleut/Eskimo	3	1%
White (not Latino)	97	46%
Other	9	4%
Undetermined/Unknown	0	0%
By Primary Language	N	%
English	153	72%
French	4	2%
Haitian Creole	4	2%
SE Asian Languages	1	0.5%
Spanish	48	23%
Other	3	1%
By Exposure Mode	N	%
Male to Male Sex (MSM)	28	13%
Injection Drug Use (IDU) <sup>1</sup>	73	34%
MSM/IDU	2	0.9%
Heterosexual Sex	94	44%
Perinatal	2	0.9%
Blood/Blood Products <sup>2</sup>	1	0.5%
Other <sup>3</sup>	12	6%
Undetermined/ Unknown	1	0.5%
<b>TOTAL</b>	<b>213</b>	

1 Injection Drug Use includes bisexual IDU, heterosexual IDU, WSW/IDU  
 2 Blood/Blood products include hemophiliac and transfusion  
 3 Other includes WSW, bisexual, occupational, not DX HIV+/AIDS  
 Data Source: MDPH HIV/AIDS Bureau (percentages may not add up to 100% due to rounding)

<b>Table A3.16 Client Demographic Information: North Worcester County Consortium</b>		
<i>Clients between 1/1/01 and 12/30/01</i>		
<b>By Gender</b>	<b>N</b>	<b>%</b>
Male	91	64%
Female	52	36%
<b>By Age</b>	<b>N</b>	<b>%</b>
0 to 9 years	4	3%
10 to 19 years	1	0.7%
20 to 29 years	4	3%
30 to 39 years	46	32%
40 to 49 years	61	43%
50+	27	19%
<b>By Race/Ethnicity</b>	<b>N</b>	<b>%</b>
African-American	16	11%
Cape Verdean	2	1%
Hispanic/Latino	53	37%
White (not Latino)	68	48%
Other	4	3%
Undetermined/Unknown	0	0%
<b>By Primary Language</b>	<b>N</b>	<b>%</b>
English	95	66%
Portuguese	1	0.7%
Spanish	46	32%
Other	1	0.7%
<b>By Exposure Mode</b>	<b>N</b>	<b>%</b>
Male to Male Sex (MSM)	16	11%
Injection Drug Use (IDU) <sup>1</sup>	59	41%
MSM/IDU	1	0.7%
Heterosexual Sex	51	36%
Perinatal	4	3%
Blood/Blood Products <sup>2</sup>	4	3%
Other <sup>3</sup>	4	3%
Undetermined/ Unknown	4	3%
<b>TOTAL</b>	<b>143</b>	
1 Injection Drug Use includes bisexual IDU, heterosexual IDU, WSW/IDU 2 Blood/Blood products include hemophiliac and transfusion 3 Other includes WSW, bisexual, occupational, not DX HIV+/AIDS Data Source: MDPH HIV/AIDS Bureau (percentages may not add up to 100% due to rounding)		



<b>Table A3.17 Client Demographic Information: OASIS Consortium</b>		
<i>Clients between 1/1/01 and 12/30/01</i>		
<b>By Gender</b>	<b>N</b>	<b>%</b>
Male	169	60%
Female	112	40%
<b>By Age</b>	<b>N</b>	<b>%</b>
0 to 9 years	8	3%
10 to 19 years	21	7%
20 to 29 years	4	1%
30 to 39 years	57	20%
40 to 49 years	131	47%
50+	60	21%
<b>By Race/Ethnicity</b>	<b>N</b>	<b>%</b>
African-American	23	8%
Asian/Asian American	2	0.7%
Haitian	1	0.4%
Hispanic/Latino	22	8%
Native American/Aleut/Eskimo	5	2%
Portuguese	1	0.4%
White (not Latino)	227	81%
Other	0	0%
Undetermined/Unknown	0	0%
<b>By Primary Language</b>	<b>N</b>	<b>%</b>
English	258	92%
French	2	0.7%
Haitian Creole	1	0.4%
Spanish	16	6%
Other	4	1%
<b>By Exposure Mode</b>	<b>N</b>	<b>%</b>
Male to Male Sex (MSM)	65	23%
Injection Drug Use (IDU) <sup>1</sup>	64	23%
MSM/IDU	5	2%
Heterosexual Sex	63	22%
Perinatal	8	3%
Blood/Blood Products <sup>2</sup>	8	3%
Other <sup>3</sup>	48	17%
Undetermined/ Unknown	20	7%
<b>TOTAL</b>	<b>281</b>	

1 Injection Drug Use includes bisexual IDU, heterosexual IDU, WSW/IDU  
 2 Blood/Blood products include hemophiliac and transfusion  
 3 Other includes WSW, bisexual, occupational, not DX HIV+/AIDS  
 Data Source: MDPH HIV/AIDS Bureau (percentages may not add up to 100% due to rounding)

**Table A3.18 Client Demographic Information: Quincy Consortium**

*Clients between 1/1/01 and 12/30/01*

By Gender	N	%
Male	40	62
Female	25	38
By Age	N	%
0 to 9 years	0	
10 to 19 years	0	
20 to 29 years	2	3%
30 to 39 years	25	38%
40 to 49 years	28	43%
50+	10	15%
By Race/Ethnicity	N	%
African-American	8	12%
Asian/Asian American	1	2%
Hispanic/Latino	2	3%
White (not Latino)	54	83%
Other	0	0%
Undetermined/Unknown	0	0%
By Primary Language	N	%
English	61	94%
Spanish	2	3%
Other	2	3%
By Exposure Mode	N	%
Male to Male Sex (MSM)	11	17%
Injection Drug Use (IDU) <sup>1</sup>	29	45%
MSM/IDU	1	2%
Heterosexual Sex	21	32%
Perinatal	0	0%
Blood/Blood Products <sup>2</sup>	1	2%
Other <sup>3</sup>	1	2%
Undetermined/ Unknown	1	2%
<b>TOTAL</b>	<b>65</b>	
1 Injection Drug Use includes bisexual IDU, heterosexual IDU, WSW/IDU 2 Blood/Blood products include hemophiliac and transfusion 3 Other includes WSW, bisexual, occupational, not DX HIV+/AIDS Data Source: MDPH HIV/AIDS Bureau (percentages may not add up to 100% due to rounding)		

<b>Table A3.19 Client Demographic Information: Springfield Consortium</b>		
<i>Clients between 1/1/01 and 12/30/01</i>		
<b>By Gender</b>	<b>N</b>	<b>%</b>
Male	371	62%
Female	228	38%
<b>By Age</b>	<b>N</b>	<b>%</b>
0 to 9 years	6	1%
10 to 19 years	4	0.7%
20 to 29 years	32	5%
30 to 39 years	188	31%
40 to 49 years	263	44%
50+	106	18%
<b>By Race/Ethnicity</b>	<b>N</b>	<b>%</b>
African-American	138	23%
Hispanic/Latino	355	59%
Portuguese	1	0.2%
White (not Latino)	99	17%
Other	4	0.7%
Undetermined/Unknown	2	0.3%
<b>By Primary Language</b>	<b>N</b>	<b>%</b>
English	259	43%
French	1	0.2%
Portuguese	1	0.2%
Spanish	334	56%
Other	4	0.7%
<b>By Exposure Mode</b>	<b>N</b>	<b>%</b>
Male to Male Sex (MSM)	66	11%
Injection Drug Use (IDU) <sup>1</sup>	266	44%
MSM/IDU	8	1%
Heterosexual Sex	201	34%
Perinatal	8	1%
Blood/Blood Products <sup>2</sup>	5	0.8%
Other <sup>3</sup>	8	1%
Undetermined/ Unknown	27	5%
<b>TOTAL</b>	<b>599</b>	

1 Injection Drug Use includes bisexual IDU, heterosexual IDU, WSW/IDU  
 2 Blood/Blood products include hemophiliac and transfusion  
 3 Other includes WSW, bisexual, occupational, not DX HIV+/AIDS  
 Data Source: MDPH HIV/AIDS Bureau (percentages may not add up to 100% due to rounding)

<b>Table A3.20 Client Demographic Information: Tri-County (Cape) Consortium</b>		
<i>Clients between 1/1/01 and 12/30/01</i>		
<b>By Gender</b>	<b>N</b>	<b>%</b>
Male	355	85%
Female	62	15%
<b>By Age</b>	<b>N</b>	<b>%</b>
0 to 9 years	0	0%
10 to 19 years	3	0.7%
20 to 29 years	4	1%
30 to 39 years	116	28%
40 to 49 years	197	47%
50+	97	23%
<b>By Race/Ethnicity</b>	<b>N</b>	<b>%</b>
African-American	11	3%
Asian/Asian American	1	0.2%
Brazilian	4	1%
Cape Verdean	10	2%
Hispanic/Latino	11	3%
Native American/Aleut/Eskimo	5	1%
Portuguese	6	1%
White (not Latino)	363	87%
Other	5	1%
Undetermined/Unknown	1	0.2%
<b>By Primary Language</b>	<b>N</b>	<b>%</b>
Crioulo (Cape Verdean)	1	0.2%
English	390	94%
French	4	1%
Portuguese	5	1%
Spanish	6	1%
Other	11	3%
<b>By Exposure Mode</b>	<b>N</b>	<b>%</b>
Male to Male Sex (MSM)	278	67%
Injection Drug Use (IDU) <sup>1</sup>	53	13%
MSM/IDU	10	2%
Heterosexual Sex	36	9%
Perinatal	2	0.5%
Blood/Blood Products <sup>2</sup>	4	1%
Other <sup>3</sup>	13	3%
Undetermined/ Unknown	21	5%

Appendix 3 Client Demographic Information for Individual Ryan White Title II Consortia

<b>TOTAL</b>	<b>417</b>
1 Injection Drug Use includes bisexual IDU, heterosexual IDU, WSW/IDU 2 Blood/Blood products include hemophiliac and transfusion 3 Other includes WSW, bisexual, occupational, not DX HIV+/AIDS Data Source: MDPH HIV/AIDS Bureau (percentages may not add up to 100% due to rounding)	